

# AKN add-on universal terminal block AL/CU

## Data Sheet V1.0



The SEP Europe AKN series offers compact, TÜV-certified connection terminals for aluminium and copper conductors.

Their fully shielded hex screws and conductor entries provide safe, dust-free connections and excellent protection against accidental contact.

Available in AC colors, DC variants and with marking size accessories, AKN models 16–35–50 can be combined, while 95–150–240 form a matching group – giving panel builders flexible capacity options.

Compliant with IEC/EN 60947-7-1/-7-2 and IEC/EN 61238-1-1, the range also includes rare third-party approval for aluminium conductors.

AKN series - terminals

CE

UK  
CA

CB

RoHS



The AKN series is compliant with IEC/EN 60947-7-1, IEC/EN 60947-7-2 and IEC/EN 61238-1-1, and offers the following main technical features:

- Hexagon nickel plated steel screws
- Tin-plated aluminium terminal body
- Housing made of PA6
- Flammability class V0 (UL94)
- Cross-section range from 1.5mm<sup>2</sup> up to 240mm<sup>2</sup>
- Full range TÜV certification

### Application benefits

- Modular add-on design - terminals can be extended without extra tools or brackets.
- Finger-safe housing and dust reducing protection caps.
- Compact footprint on DIN-rail or mounting plate, saving valuable panel space
- Color-coded housing en optional markers for clear identification
- Prevents galvanic influence between copper and aluminium conductors

## AKN Terminal block

### Conform

IEC/EN 60947-7-1;  
IEC/EN 60947-7-2;  
EN 61238-1-1

### Approvals

TUV, CB, CE, UKCA, RoHS

### AKN-1-16 1,5...16mm<sup>2</sup> Single-entry terminal



### AKN-2-16 1,5...16mm<sup>2</sup> Double-entry terminal



### AKN-3-16 1,5...16mm<sup>2</sup> Triple-entry terminal



### Technical Data



Rated	
Voltage	Ue
Current	In
Impulse with stand	Uimp
Overvoltage category	
Pollution degree	
Connection data	
Number	
Screw head/thread	
Type of mounting	
Conductor/Torque	
Conductor cross section	
1,5	mm <sup>2</sup>
2,5	mm <sup>2</sup>
4	mm <sup>2</sup>
6	mm <sup>2</sup>
10	mm <sup>2</sup>
16	mm <sup>2</sup>
Strip length	mm
Material data	
Screw	
Terminal body	
Housing	
Flammability class	UL94
Needle flame test	
Environmental data	
Ambient temperature	°C
Operational humidity	%
Storage humidity	%
Weight	

Copper		Aluminium	
1000 VAC / 1500 VDC			
82 A		75 A	
6 kV			
III			
3			
Poles	Connections	Potentials	
1	2	1	
HEX4 / M8			
NS 35 (TS35) / Mounting plate			
Copper		Aluminium	
-	-	-	-
3,5 Nm	3,5 Nm	-	-
-	-	-	-
7 Nm	7 Nm	-	7 Nm
-	-	-	-
12			
Nickel-plated steel			
Tin-plated aluminium			
PA6			
V0			
Pass			
-25 ... 70			
20 ... 90			
30 ... 70			
26,5 gr			

Copper		Aluminium	
1000 VAC / 1500 VDC			
82 A		75 A	
6 kV			
III			
3			
Poles	Connections	Potentials	
2	4	1	
HEX4 / M8			
NS 35 (TS35) / Mounting plate			
Copper		Aluminium	
-	-	-	-
3,5 Nm	3,5 Nm	-	-
-	-	-	-
7 Nm	7 Nm	-	7 Nm
-	-	-	-
12			
Nickel-plated steel			
Tin-plated aluminium			
PA6			
V0			
Pass			
-25 ... 70			
20 ... 90			
30 ... 70			
45 gr			

Copper		Aluminium	
1000 VAC / 1500 VDC			
82 A		75 A	
6 kV			
III			
3			
Poles	Connections	Potentials	
3	6	1	
HEX4 / M8			
NS 35 (TS35) / Mounting plate			
Copper		Aluminium	
-	-	-	-
3,5 Nm	3,5 Nm	-	-
-	-	-	-
7 Nm	7 Nm	-	7 Nm
-	-	-	-
12			
Nickel-plated steel			
Tin-plated aluminium			
PA6			
V0			
Pass			
-25 ... 70			
20 ... 90			
30 ... 70			
62,7 gr			

### Dimensions layout



### Ordering data

Version
● RAL8003 Brown
● RAL9005 Black
● RAL7040 Grey
● RAL5012 Blue
● / ● Yellow/green
● RAL3020 Red

Type	Qty	Order no.
AKN-1-16-BN	18	2110200010
AKN-1-16-BK	18	2110200020
AKN-1-16-GY	18	2110200030
AKN-1-16-BL	18	2110200040
AKN-1-16-GNYE	18	2110200050
AKN-1-16-RD	18	2110200060

Type	Qty	Order no.
AKN-2-16-BN	11	2110200370
AKN-2-16-BK	11	2110200380
AKN-2-16-GY	11	2110200390
AKN-2-16-BL	11	2110200400
AKN-2-16-GNYE	11	2110200410
AKN-2-16-RD	11	2110200420

Type	Qty	Order no.
AKN-3-16-BN	8	2110200730
AKN-3-16-BK	8	2110200740
AKN-3-16-GY	8	2110200750
AKN-3-16-BL	8	2110200760
AKN-3-16-GNYE	8	2110200770
AKN-3-16-RD	8	2110200780

### Accessories

Marking tags
Size

6 (for markers see page 8)
----------------------------

6 (for markers see page 8)
----------------------------

6 (for markers see page 8)
----------------------------

## AKN Terminal block

### Conform

IEC/EN 60947-7-1;  
IEC/EN 60947-7-2;  
EN 61238-1-1

### Approvals

TUV, CB, CE, UKCA, RoHS

### Technical Data

Rated	
Voltage	Ue
Current	In
Impulse with stand	Uimp
Overvoltage category	
Pollution degree	
Connection data	
Number	
Screw head/thread	
Type of mounting	
Conductor/Torque	
Conductor cross section	
2,5	mm <sup>2</sup>
4	mm <sup>2</sup>
6	mm <sup>2</sup>
10	mm <sup>2</sup>
16	mm <sup>2</sup>
25	mm <sup>2</sup>
35	mm <sup>2</sup>
Strip length	mm
Material data	
Screw	
Terminal body	
Housing	
Flammability class	UL94
Needle flame test	
Environmental data	
Ambient temperature	°C
Operational humidity	%
Storage humidity	%
Weight	

**AKN-1-35** 2,5...35mm<sup>2</sup>  
Single-entry terminal



Copper		Aluminium	
1000 VAC / 1500 VDC			
135 A		120 A	
6 kV			
III			
3			
Poles	Connections	Potentials	
1	2	1	
HEX4 / M8			
NS 35 (TS35) / Mounting plate			
Copper		Aluminium	
3 Nm	3 Nm	-	
		3 Nm	
6 Nm	6 Nm	6 Nm	
	-		
13			
Nickel-plated steel			
Tin-plated aluminium			
PA6			
V0			
Pass			
-			
-25 ... 70			
20 ... 90			
30 ... 70			
31 gr			

**AKN-2-35** 2,5...35mm<sup>2</sup>  
Double-entry terminal






Copper		Aluminium	
1000 VAC / 1500 VDC			
135 A		120 A	
6 kV			
III			
3			
Poles	Connections	Potentials	
2	4	1	
HEX4 / M8			
NS 35 (TS35) / Mounting plate			
Copper		Aluminium	
3 Nm	3 Nm	-	
		3 Nm	
6 Nm	6 Nm	6 Nm	
	-		
13			
Nickel-plated steel			
Tin-plated aluminium			
PA6			
V0			
Pass			
-			
-25 ... 70			
20 ... 90			
30 ... 70			
50,5 gr			

**AKN-3-35** 2,5...35mm<sup>2</sup>  
Triple-entry terminal



Copper		Aluminium	
1000 VAC / 1500 VDC			
135 A		120 A	
6 kV			
III			
3			
Poles	Connections	Potentials	
3	6	1	
HEX4 / M8			
NS 35 (TS35) / Mounting plate			
Copper		Aluminium	
3 Nm	3 Nm	-	
		3 Nm	
6 Nm	6 Nm	6 Nm	
	-		
13			
Nickel-plated steel			
Tin-plated aluminium			
PA6			
V0			
Pass			
-			
-25 ... 70			
20 ... 90			
30 ... 70			
70,5 gr			

### Dimensions layout



### Ordering data

Version
● RAL8003 Brown
● RAL9005 Black
● RAL7040 Grey
● RAL5012 Blue
● Yellow/green
● RAL3020 Red

Type	Qty	Order no.
AKN-1-35-BN	15	2110200070
AKN-1-35-BK	15	2110200080
AKN-1-35-GY	15	2110200090
AKN-1-35-BL	15	2110200100
AKN-1-35-GNYE	15	2110200110
AKN-1-35-RD	15	2110200120

Type	Qty	Order no.
AKN-2-35-BN	9	2110200430
AKN-2-35-BK	9	2110200440
AKN-2-35-GY	9	2110200450
AKN-2-35-BL	9	2110200460
AKN-2-35-GNYE	9	2110200470
AKN-2-35-RD	9	2110200480

Type	Qty	Order no.
AKN-3-35-BN	7	2110200790
AKN-3-35-BK	7	2110200800
AKN-3-35-GY	7	2110200810
AKN-3-35-BL	7	2110200820
AKN-3-35-GNYE	7	2110200830
AKN-3-35-RD	7	2110200840

### Accessories

Marking tags
Size

6 (for markers see page 8)
----------------------------

6 (for markers see page 8)
----------------------------

6 (for markers see page 8)
----------------------------

## AKN Terminal block

### Conform

IEC/EN 60947-7-1;  
IEC/EN 60947-7-2;  
EN 61238-1-1

### Approvals

TUV, CB, CE, UKCA, RoHS

### Technical Data

Rated	
Voltage	Ue
Current	In
Impulse with stand	Uimp
Overvoltage category	
Pollution degree	
Connection data	
Number	
Screw head/thread	
Type of mounting	
Conductor/Torque	
Conductor cross section	
2,5	mm <sup>2</sup>
4	mm <sup>2</sup>
6	mm <sup>2</sup>
10	mm <sup>2</sup>
16	mm <sup>2</sup>
25	mm <sup>2</sup>
35	mm <sup>2</sup>
50	mm <sup>2</sup>
Strip length	mm
Material data	
Screw	
Terminal body	
Housing	
Flammability class	UL94
Needle flame test	
Environmental data	
Ambient temperature	°C
Operational humidity	%
Storage humidity	%
Weight	

**AKN-1-50** 2,5...50mm<sup>2</sup>  
Single-entry terminal



Copper		Aluminium	
1000 VAC / 1500 VDC			
160 A		145 A	
6 kV			
III			
3			
Poles	Connections	Potentials	
1	2	1	
HEX5 / M10			
NS 35 (TS35) / Mounting plate			
Copper		Aluminium	
4 Nm	4 Nm	-	
12 Nm	12 Nm	12 Nm	
	-	-	
16			
Nickel-plated steel			
Tin-plated aluminium			
PA6			
V0			
Pass			
-25 ... 70			
20 ... 90			
30 ... 70			
41 gr			

**AKN-2-50** 2,5...50mm<sup>2</sup>  
Double-entry terminal







Copper		Aluminium	
1000 VAC / 1500 VDC			
160 A		145 A	
6 kV			
III			
3			
Poles	Connections	Potentials	
2	4	1	
HEX5 / M10			
NS 35 (TS35) / Mounting plate			
Copper		Aluminium	
4 Nm	4 Nm	-	
12 Nm	12 Nm	12 Nm	
	-	-	
13			
Nickel-plated steel			
Tin-plated aluminium			
PA6			
V0			
Pass			
-25 ... 70			
20 ... 90			
30 ... 70			
67 gr			

**AKN-3-50** 2,5...50mm<sup>2</sup>  
Triple-entry terminal



Copper		Aluminium	
1000 VAC / 1500 VDC			
160 A		145 A	
6 kV			
III			
3			
Poles	Connections	Potentials	
3	6	1	
HEX5 / M10			
NS 35 (TS35) / Mounting plate			
Copper		Aluminium	
4 Nm	4 Nm	-	
12 Nm	12 Nm	12 Nm	
	-	-	
13			
Nickel-plated steel			
Tin-plated aluminium			
PA6			
V0			
Pass			
-25 ... 70			
20 ... 90			
30 ... 70			
92 gr			

### Dimensions layout



### Ordering data

Version
● RAL8003 Brown
● RAL9005 Black
● RAL7040 Grey
● RAL5012 Blue
● Yellow/green
● RAL3020 Red

Type	Qty	Order no.
AKN-1-50-BN	14	2110200130
AKN-1-50-BK	14	2110200140
AKN-1-50-GY	14	2110200150
AKN-1-50-BL	14	2110200160
AKN-1-50-GNYE	14	2110200170
AKN-1-50-RD	14	2110200180

Type	Qty	Order no.
AKN-2-50-BN	8	2110200490
AKN-2-50-BK	8	2110200500
AKN-2-50-GY	8	2110200510
AKN-2-50-BL	8	2110200520
AKN-2-50-GNYE	8	2110200530
AKN-2-50-RD	8	2110200540

Type	Qty	Order no.
AKN-3-50-BN	6	2110200850
AKN-3-50-BK	6	2110200860
AKN-3-50-GY	6	2110200870
AKN-3-50-BL	6	2110200880
AKN-3-50-GNYE	6	2110200890
AKN-3-50-RD	6	2110200900

### Accessories

Marking tags	Size
	6 (for markers see page 8)

Marking tags	Size
	6 (for markers see page 8)

Marking tags	Size
	6 (for markers see page 8)

Marking tags	Size
	6 (for markers see page 8)

## AKN Terminal block

### Conform

IEC/EN 60947-7-1;  
IEC/EN 60947-7-2;  
EN 61238-1-1

### Approvals

TUV, CB, CE, UKCA, RoHS

### Technical Data

Rated	
Voltage	Ue
Current	In
Impulse with stand	Uimp
Overvoltage category	
Pollution degree	
Connection data	
Number	
Screw head/thread	
Type of mounting	
Conductor/Torque	
<b>Conductor cross section</b>	
16	mm <sup>2</sup>
25	mm <sup>2</sup>
35	mm <sup>2</sup>
50	mm <sup>2</sup>
70	mm <sup>2</sup>
95	mm <sup>2</sup>
Strip length	mm
Material data	
Screw	
Terminal body	
Housing	
Flammability class	UL94
Needle flame test	
Environmental data	
Ambient temperature	°C
Operational humidity	%
Storage humidity	%
Weight	

### AKN-1-95 16...95mm<sup>2</sup>

Single-entry terminal



Copper	Aluminium	
1000 VAC / 1500 VDC		
245 A	200 A	
6 kV		
III		
3		
Poles	Connections	Potentials
1	2	1
HEX5 / M14		
NS 35 (TS35) / Mounting plate		
Copper	Aluminium	
20 Nm	20 Nm	20 Nm
	-	
22		
Nickel-plated steel		
Tin-plated aluminium		
PA6		
V0		
Pass		
-25 ... 70		
20 ... 90		
30 ... 70		
104 gr		

### AKN-2-95 16...95mm<sup>2</sup>

Double-entry terminal



Copper	Aluminium	
1000 VAC / 1500 VDC		
245 A	200 A	
6 kV		
III		
3		
Poles	Connections	Potentials
2	4	1
HEX5 / M14		
NS 35 (TS35) / Mounting plate		
Copper	Aluminium	
20 Nm	20 Nm	20 Nm
	-	
22		
Nickel-plated steel		
Tin-plated aluminium		
PA6		
V0		
Pass		
-25 ... 70		
20 ... 90		
30 ... 70		
181 gr		





### AKN-3-95 16...95mm<sup>2</sup>

Triple-entry terminal



Copper	Aluminium	
1000 VAC / 1500 VDC		
245 A	200 A	
6 kV		
III		
3		
Poles	Connections	Potentials
3	6	1
HEX5 / M14		
NS 35 (TS35) / Mounting plate		
Copper	Aluminium	
20 Nm	20 Nm	20 Nm
	-	
22		
Nickel-plated steel		
Tin-plated aluminium		
PA6		
V0		
Pass		
-25 ... 70		
20 ... 90		
30 ... 70		
254 gr		

### Dimensions layout



### Ordering data

Version
● RAL8003 Brown
● RAL9005 Black
● RAL7040 Grey
● RAL5012 Blue
● Yellow/green
● RAL3020 Red

Type	Qty	Order no.
AKN-1-95-BN	5	2110200190
AKN-1-95-BK	5	2110200200
AKN-1-95-GY	5	2110200210
AKN-1-95-BL	5	2110200220
AKN-1-95-GNYE	5	2110200230
AKN-1-95-RD	5	2110200240

Type	Qty	Order no.
AKN-2-95-BN	3	2110200550
AKN-2-95-BK	3	2110200560
AKN-2-95-GY	3	2110200570
AKN-2-95-BL	3	2110200580
AKN-2-95-GNYE	3	2110200590
AKN-2-95-RD	3	2110200600

Type	Qty	Order no.
AKN-3-95-BN	2	2110200910
AKN-3-95-BK	2	2110200920
AKN-3-95-GY	2	2110200930
AKN-3-95-BL	2	2110200940
AKN-3-95-GNYE	2	2110200950
AKN-3-95-RD	2	2110200960

### Accessories

Marking tags	Size
	6 (for markers see page 8)

Marking tags	Size
	6 (for markers see page 8)

Marking tags	Size
	6 (for markers see page 8)

Marking tags	Size
	6 (for markers see page 8)

## AKN Terminal block

### Conform

IEC/EN 60947-7-1;  
IEC/EN 60947-7-2;  
EN 61238-1-1

### Approvals

TUV, CB, CE, UKCA, RoHS

### Technical Data

Rated	
Voltage	Ue
Current	In
Impulse with stand	Uimp
Overvoltage category	
Pollution degree	
Connection data	
Number	
Screw head/thread	
Type of mounting	
Conductor/Torque	
<b>Conductor cross section</b>	
35	mm <sup>2</sup>
50	mm <sup>2</sup>
70	mm <sup>2</sup>
95	mm <sup>2</sup>
120	mm <sup>2</sup>
150	mm <sup>2</sup>
Strip length	mm
Material data	
Screw	
Terminal body	
Housing	
Flammability class	UL94
Needle flame test	
Environmental data	
Ambient temperature	°C
Operational humidity	%
Storage humidity	%
Weight	

**AKN-1-150** 35...150mm<sup>2</sup>  
Single-entry terminal



Copper		Aluminium	
1000 VAC / 1500 VDC			
320 A		290 A	
6 kV			
III			
3			
Poles	Connections	Potentials	
1	2	1	
HEX8 / M18			
NS 35 (TS35) / Mounting plate			
Copper		Aluminium	
20 Nm	20 Nm	20 Nm	
30 Nm	30 Nm	30 Nm	
	-	30 Nm	
26			
Nickel-plated steel			
Tin-plated aluminium			
PA6			
V0			
Pass			
-25 ... 70			
20 ... 90			
30 ... 70			
165 gr			

**AKN-2-150** 35...150mm<sup>2</sup>  
Double-entry terminal






Copper		Aluminium	
1000 VAC / 1500 VDC			
320 A		290 A	
6 kV			
III			
3			
Poles	Connections	Potentials	
2	4	1	
HEX8 / M18			
NS 35 (TS35) / Mounting plate			
Copper		Aluminium	
20 Nm	20 Nm	20 Nm	
30 Nm	30 Nm	30 Nm	
	-	30 Nm	
26			
Nickel-plated steel			
Tin-plated aluminium			
PA6			
V0			
Pass			
-25 ... 70			
20 ... 90			
30 ... 70			
298 gr			

**AKN-3-150** 35...150mm<sup>2</sup>  
Triple-entry terminal



Copper		Aluminium	
1000 VAC / 1500 VDC			
320 A		290 A	
6 kV			
III			
3			
Poles	Connections	Potentials	
3	6	1	
HEX8 / M18			
NS 35 (TS35) / Mounting plate			
Copper		Aluminium	
20 Nm	20 Nm	20 Nm	
30 Nm	30 Nm	30 Nm	
	-	30 Nm	
26			
Nickel-plated steel			
Tin-plated aluminium			
PA6			
V0			
Pass			
-25 ... 70			
20 ... 90			
30 ... 70			
429 gr			

### Dimensions layout



### Ordering data

Version
● RAL8003 Brown
● RAL9005 Black
● RAL7040 Grey
● RAL5012 Blue
● Yellow/green
● RAL3020 Red

Type	Qty	Order no.
AKN-1-150-BN	5	2110200250
AKN-1-150-BK	5	2110200260
AKN-1-150-GY	5	2110200270
AKN-1-150-BL	5	2110200280
AKN-1-150-GNYE	5	2110200290
AKN-1-150-RD	5	2110200300

Type	Qty	Order no.
AKN-2-150-BN	3	2110200610
AKN-2-150-BK	3	2110200620
AKN-2-150-GY	3	2110200630
AKN-2-150-BL	3	2110200640
AKN-2-150-GNYE	3	2110200650
AKN-2-150-RD	3	2110200660

Type	Qty	Order no.
AKN-3-150-BN	2	2110200970
AKN-3-150-BK	2	2110200980
AKN-3-150-GY	2	2110200990
AKN-3-150-BL	2	2110201000
AKN-3-150-GNYE	2	2110201010
AKN-3-150-RD	2	2110201020

### Accessories

Marking tags	Size
	6 (for markers see page 8)

Marking tags	Size
	6 (for markers see page 8)

Marking tags	Size
	6 (for markers see page 8)

## AKN Terminal block

### Conform

IEC/EN 60947-7-1;  
IEC/EN 60947-7-2;  
EN 61238-1-1

### Approvals

TUV, CB, CE, UKCA, RoHS

### Technical Data

Rated	
Voltage	Ue
Current	In
Impulse with stand	Uimp
Overvoltage category	
Pollution degree	
Connection data	
Number	
Screw head/thread	
Type of mounting	
Conductor/Torque	
Conductor cross section	
35	mm <sup>2</sup>
50	mm <sup>2</sup>
70	mm <sup>2</sup>
95	mm <sup>2</sup>
120	mm <sup>2</sup>
150	mm <sup>2</sup>
185	mm <sup>2</sup>
240	mm <sup>2</sup>
Strip length	mm
Material data	
Screw	
Terminal body	
Housing	
Flammability class	UL94
Needle flame test	
Environmental data	
Ambient temperature	°C
Operational humidity	%
Storage humidity	%
Weight	

**AKN-1-240** 35...240mm<sup>2</sup>  
Single-entry terminal



Copper		Aluminium	
1000 VAC / 1500 VDC			
425 A		380 A	
6 kV			
III			
3			
Poles	Connections	Potentials	
1	2	1	
HEX8 / M20			
Mounting plate			
Copper		Aluminium	
12 Nm	12 Nm	12 Nm	
45 Nm	45 Nm	45 Nm	
	-		
30			
Nickel-plated steel			
Tin-plated aluminium			
PA6			
V0			
Pass			
-25 ... 70			
20 ... 90			
30 ... 70			
312 gr			

**AKN-2-240** 35...240mm<sup>2</sup>  
Double-entry terminal







Copper		Aluminium	
1000 VAC / 1500 VDC			
425 A		380 A	
6 kV			
III			
3			
Poles	Connections	Potentials	
2	4	1	
HEX8 / M20			
Mounting plate			
Copper		Aluminium	
12 Nm	12 Nm	12 Nm	
45 Nm	45 Nm	45 Nm	
	-		
30			
Nickel-plated steel			
Tin-plated aluminium			
PA6			
V0			
Pass			
-25 ... 70			
20 ... 90			
30 ... 70			
560 gr			

**AKN-3-240** 35...240mm<sup>2</sup>  
Triple-entry terminal



Copper		Aluminium	
1000 VAC / 1500 VDC			
425 A		380 A	
6 kV			
III			
3			
Poles	Connections	Potentials	
3	6	1	
HEX8 / M20			
Mounting plate			
Copper		Aluminium	
12 Nm	12 Nm	12 Nm	
45 Nm	45 Nm	45 Nm	
	-		
30			
Nickel-plated steel			
Tin-plated aluminium			
PA6			
V0			
Pass			
-25 ... 70			
20 ... 90			
30 ... 70			
795 gr			

### Dimensions layout



### Ordering data

Version
● RAL8003 Brown
● RAL9005 Black
● RAL7040 Grey
● RAL5012 Blue
●/● Yellow/green
● RAL3020 Red

Type	Qty	Order no.
AKN-1-240-BN	2	2110200310
AKN-1-240-BK	2	2110200320
AKN-1-240-GY	2	2110200330
AKN-1-240-BL	2	2110200340
AKN-1-240-GNYE	2	2110200350
AKN-1-240-RD	2	2110200360

Type	Qty	Order no.
AKN-2-240-BN	1	2110200670
AKN-2-240-BK	1	2110200680
AKN-2-240-GY	1	2110200690
AKN-2-240-BL	1	2110200700
AKN-2-240-GNYE	1	2110200710
AKN-2-240-RD	1	2110200720

Type	Qty	Order no.
AKN-3-240-BN	1	2110201030
AKN-3-240-BK	1	2110201040
AKN-3-240-GY	1	2110201050
AKN-3-240-BL	1	2110201060
AKN-3-240-GNYE	1	2110201070
AKN-3-240-RD	1	2110201080

### Accessories

Marking tags	Size
	6 (for markers see page 8)

Marking tags	Size
	6 (for markers see page 8)

Marking tags	Size
	6 (for markers see page 8)

## Markers for AKN series terminals

### Marker strip - blanc

10pcs



Approvals  
Material

RoHS  
PA

#### Ordering data

Version

- Blanc
- Red
- Blue

Type	Size	Qty	Order no.
ZB6-Blanc	6	100	2019806000
ZB6-RD	6	100	2019806006
ZB6-BL	6	100	2019806007

### Marker strip - phase

10pcs



RoHS  
PA

Type	Size	Qty	Order no.
ZB6-L1	6	100	2019806001
ZB6-L2	6	100	2019806002
ZB6-L3	6	100	2019806003
ZB6-N	6	100	2019806004
ZB6-PE	6	100	2019806005
CK-L	6	100	2110109200
CK-PEN	6	100	2110109206
CK-R	6	100	2110109210
CK-S	6	100	2110109211
CK-T	6	100	2110109212
CK-U	6	100	2110109213
CK-V	6	100	2110109214
CK-W	6	100	2110109215

### Marker strip - numbers

10pcs



Approvals  
Material

RoHS  
PA

#### Ordering data

Version

- 1-10
- 11-20
- 21-30
- 31-40
- 41-50
- 51-60
- 61-70
- 71-80
- 81-90
- 91-100
- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10

Type	Size	Qty	Order no.
ZB6-1-10	6	100	2019806010
ZB6-11-20	6	100	2019806020
ZB6-21-30	6	100	2019806030
ZB6-31-40	6	100	2019806040
ZB6-41-50	6	100	2019806050
ZB6-51-60	6	100	2019806060
ZB6-61-70	6	100	2019806070
ZB6-71-80	6	100	2019806080
ZB6-81-90	6	100	2019806090
ZB6-91-100	6	100	2019806100
CK-N1	6	100	2110109101
CK-N2	6	100	2110109102
CK-N3	6	100	2110109103
CK-N4	6	100	2110109104
CK-N5	6	100	2110109105
CK-N6	6	100	2110109106
CK-N7	6	100	2110109107
CK-N8	6	100	2110109108
CK-N9	6	100	2110109109
CK-N10	6	100	2110109110

### Marker strip - symbols

10pcs

RoHS  
PA

Type	Size	Qty	Order no.
CK-PLUS	6	100	2110109300
CK-MIN	6	100	2110109304
CK-EARTH	6	100	2110109305
CK-CEARTH	6	100	2110109306

**AKN Add-on universal terminal block AL/CU DATA SHEET V1.0**  
CON-series

Packing information												
Order code	Reference	GTIN	Inner packing				Outer packing				Country of Origin	Custom Tariff no.
			QTY	Type	Size (mm)	Weight/kg	QTY	Type	Size (Cm)	Weight/kg		
2110200010	AKN-1-16-BN	8718959078736	18	CT	285 x 75 x 45	0,525	414	CT	40 x 30 x 24,5	12,6	CN	85369010
2110200020	AKN-1-16-BK	8718959078743	18	CT	285 x 75 x 45	0,525	414	CT	40 x 30 x 24,5	12,6	CN	85369010
2110200030	AKN-1-16-GY	8718959078750	18	CT	285 x 75 x 45	0,525	414	CT	40 x 30 x 24,5	12,6	CN	85369010
2110200040	AKN-1-16-BU	8718959078767	18	CT	285 x 75 x 45	0,525	414	CT	40 x 30 x 24,5	12,6	CN	85369010
2110200050	AKN-1-16-GNYE	8718959078774	18	CT	285 x 75 x 45	0,525	414	CT	40 x 30 x 24,5	12,6	CN	85369010
2110200060	AKN-1-16-RD	8718959078781	18	CT	285 x 75 x 45	0,525	414	CT	40 x 30 x 24,5	12,6	CN	85369010
2110200070	AKN-1-35-BN	8718959078798	15	CT	285 x 75 x 45	0,515	345	CT	40 x 30 x 24,5	12,4	CN	85369010
2110200080	AKN-1-35-BK	8718959078804	15	CT	285 x 75 x 45	0,515	345	CT	40 x 30 x 24,5	12,4	CN	85369010
2110200090	AKN-1-35-GY	8718959078811	15	CT	285 x 75 x 45	0,515	345	CT	40 x 30 x 24,5	12,4	CN	85369010
2110200100	AKN-1-35-BU	8718959078828	15	CT	285 x 75 x 45	0,515	345	CT	40 x 30 x 24,5	12,4	CN	85369010
2110200110	AKN-1-35-GNYE	8718959078835	15	CT	285 x 75 x 45	0,515	345	CT	40 x 30 x 24,5	12,4	CN	85369010
2110200120	AKN-1-35-RD	8718959078842	15	CT	285 x 75 x 45	0,515	345	CT	40 x 30 x 24,5	12,4	CN	85369010
2110200130	AKN-1-50-BN	8718959078859	14	CT	285 x 75 x 45	0,617	280	CT	40 x 30 x 24,5	13	CN	85369010
2110200140	AKN-1-50-BK	8718959078866	14	CT	285 x 75 x 45	0,617	280	CT	40 x 30 x 24,5	13	CN	85369010
2110200150	AKN-1-50-GY	8718959078873	14	CT	285 x 75 x 45	0,617	280	CT	40 x 30 x 24,5	13	CN	85369010
2110200160	AKN-1-50-BU	8718959078880	14	CT	285 x 75 x 45	0,617	280	CT	40 x 30 x 24,5	13	CN	85369010
2110200170	AKN-1-50-GNYE	8718959078897	14	CT	285 x 75 x 45	0,617	280	CT	40 x 30 x 24,5	13	CN	85369010
2110200180	AKN-1-50-RD	8718959078903	14	CT	285 x 75 x 45	0,617	280	CT	40 x 30 x 24,5	13	CN	85369010
2110200190	AKN-1-95-BN	8718959078910	5	CT	140 x 95 x 60	0,553	140	CT	40 x 30 x 24,5	16,1	CN	85369010
2110200200	AKN-1-95-BK	8718959078927	5	CT	140 x 95 x 60	0,553	140	CT	40 x 30 x 24,5	16,1	CN	85369010
2110200210	AKN-1-95-GY	8718959078934	5	CT	140 x 95 x 60	0,553	140	CT	40 x 30 x 24,5	16,1	CN	85369010
2110200220	AKN-1-95-BU	8718959078941	5	CT	140 x 95 x 60	0,553	140	CT	40 x 30 x 24,5	16,1	CN	85369010
2110200230	AKN-1-95-GNYE	8718959078958	5	CT	140 x 95 x 60	0,553	140	CT	40 x 30 x 24,5	16,1	CN	85369010
2110200240	AKN-1-95-RD	8718959078965	5	CT	140 x 95 x 60	0,553	140	CT	40 x 30 x 24,5	16,1	CN	85369010
2110200250	AKN-1-150-BN	8718959078972	5	CT	170 x 100 x 70	0,888	85	CT	40 x 30 x 24,5	15,7	CN	85369010
2110200260	AKN-1-150-BK	8718959078989	5	CT	170 x 100 x 70	0,888	85	CT	40 x 30 x 24,5	15,7	CN	85369010
2110200270	AKN-1-150-GY	8718959078996	5	CT	170 x 100 x 70	0,888	85	CT	40 x 30 x 24,5	15,7	CN	85369010
2110200280	AKN-1-150-BU	8718959079009	5	CT	170 x 100 x 70	0,888	85	CT	40 x 30 x 24,5	15,7	CN	85369010
2110200290	AKN-1-150-GNYE	8718959079016	5	CT	170 x 100 x 70	0,888	85	CT	40 x 30 x 24,5	15,7	CN	85369010
2110200300	AKN-1-150-RD	8718959079023	5	CT	170 x 100 x 70	0,888	85	CT	40 x 30 x 24,5	15,7	CN	85369010
2110200310	AKN-1-240-BN	8718959079030	2	CT	125 x 96 x 75	0,657	54	CT	40 x 30 x 24,5	18,3	CN	85369010
2110200320	AKN-1-240-BK	8718959079047	2	CT	125 x 96 x 75	0,657	54	CT	40 x 30 x 24,5	18,3	CN	85369010
2110200330	AKN-1-240-GY	8718959079054	2	CT	125 x 96 x 75	0,657	54	CT	40 x 30 x 24,5	18,3	CN	85369010
2110200340	AKN-1-240-BU	8718959079061	2	CT	125 x 96 x 75	0,657	54	CT	40 x 30 x 24,5	18,3	CN	85369010
2110200350	AKN-1-240-GNYE	8718959079078	2	CT	125 x 96 x 75	0,657	54	CT	40 x 30 x 24,5	18,3	CN	85369010
2110200360	AKN-1-240-RD	8718959079085	2	CT	125 x 96 x 75	0,657	54	CT	40 x 30 x 24,5	18,3	CN	85369010
2110200370	AKN-2-16-BN	8718959079092	11	CT	285 x 75 x 45	0,538	253	CT	40 x 30 x 24,5	13	CN	85369010
2110200380	AKN-2-16-BK	8718959079108	11	CT	285 x 75 x 45	0,538	253	CT	40 x 30 x 24,5	13	CN	85369010
2110200390	AKN-2-16-GY	8718959079115	11	CT	285 x 75 x 45	0,538	253	CT	40 x 30 x 24,5	13	CN	85369010
2110200400	AKN-2-16-BU	8718959079122	11	CT	285 x 75 x 45	0,538	253	CT	40 x 30 x 24,5	13	CN	85369010
2110200410	AKN-2-16-GNYE	8718959079139	11	CT	285 x 75 x 45	0,538	253	CT	40 x 30 x 24,5	13	CN	85369010
2110200420	AKN-2-16-RD	8718959079146	11	CT	285 x 75 x 45	0,538	253	CT	40 x 30 x 24,5	13	CN	85369010
2110200430	AKN-2-35-BN	8718959079153	9	CT	285 x 75 x 45	0,499	207	CT	40 x 30 x 24,5	12,1	CN	85369010
2110200440	AKN-2-35-BK	8718959079160	9	CT	285 x 75 x 45	0,499	207	CT	40 x 30 x 24,5	12,1	CN	85369010
2110200450	AKN-2-35-GY	8718959079177	9	CT	285 x 75 x 45	0,499	207	CT	40 x 30 x 24,5	12,1	CN	85369010
2110200460	AKN-2-35-BU	8718959079184	9	CT	285 x 75 x 45	0,499	207	CT	40 x 30 x 24,5	12,1	CN	85369010
2110200470	AKN-2-35-GNYE	8718959079191	9	CT	285 x 75 x 45	0,499	207	CT	40 x 30 x 24,5	12,1	CN	85369010
2110200480	AKN-2-35-RD	8718959079207	9	CT	285 x 75 x 45	0,499	207	CT	40 x 30 x 24,5	12,1	CN	85369010
2110200490	AKN-2-50-BN	8718959079214	8	CT	285 x 75 x 45	0,579	160	CT	40 x 30 x 24,5	12,2	CN	85369010
2110200500	AKN-2-50-BK	8718959079221	8	CT	285 x 75 x 45	0,579	160	CT	40 x 30 x 24,5	12,2	CN	85369010
2110200510	AKN-2-50-GY	8718959079238	8	CT	285 x 75 x 45	0,579	160	CT	40 x 30 x 24,5	12,2	CN	85369010
2110200520	AKN-2-50-BU	8718959079245	8	CT	285 x 75 x 45	0,579	160	CT	40 x 30 x 24,5	12,2	CN	85369010
2110200530	AKN-2-50-GNYE	8718959079252	8	CT	285 x 75 x 45	0,579	160	CT	40 x 30 x 24,5	12,2	CN	85369010
2110200540	AKN-2-50-RD	8718959079269	8	CT	285 x 75 x 45	0,579	160	CT	40 x 30 x 24,5	12,2	CN	85369010
2110200550	AKN-2-95-BN	8718959079276	3	CT	140 x 95 x 60	0,574	84	CT	40 x 30 x 24,5	16,6	CN	85369010
2110200560	AKN-2-95-BK	8718959079283	3	CT	140 x 95 x 60	0,574	84	CT	40 x 30 x 24,5	16,6	CN	85369010
2110200570	AKN-2-95-GY	8718959079290	3	CT	140 x 95 x 60	0,574	84	CT	40 x 30 x 24,5	16,6	CN	85369010
2110200580	AKN-2-95-BU	8718959079306	3	CT	140 x 95 x 60	0,574	84	CT	40 x 30 x 24,5	16,6	CN	85369010
2110200590	AKN-2-95-GNYE	8718959079313	3	CT	140 x 95 x 60	0,574	84	CT	40 x 30 x 24,5	16,6	CN	85369010
2110200600	AKN-2-95-RD	8718959079320	3	CT	140 x 95 x 60	0,574	84	CT	40 x 30 x 24,5	16,6	CN	85369010
2110200610	AKN-2-150-BN	8718959079337	3	CT	170 x 100 x 70	0,948	51	CT	40 x 30 x 24,5	16,7	CN	85369010
2110200620	AKN-2-150-BK	8718959079344	3	CT	170 x 100 x 70	0,948	51	CT	40 x 30 x 24,5	16,7	CN	85369010
2110200630	AKN-2-150-GY	8718959079351	3	CT	170 x 100 x 70	0,948	51	CT	40 x 30 x 24,5	16,7	CN	85369010
2110200640	AKN-2-150-BU	8718959079368	3	CT	170 x 100 x 70	0,948	51	CT	40 x 30 x 24,5	16,7	CN	85369010
2110200650	AKN-2-150-GNYE	8718959079375	3	CT	170 x 100 x 70	0,948	51	CT	40 x 30 x 24,5	16,7	CN	85369010
2110200660	AKN-2-150-RD	8718959079382	3	CT	170 x 100 x 70	0,948	51	CT	40 x 30 x 24,5	16,7	CN	85369010
2110200670	AKN-2-240-BN	8718959079399	1	CT	125 x 96 x 75	0,598	27	CT	40 x 30 x 24,5	16,7	CN	85369010
2110200680	AKN-2-240-BK	8718959079405	1	CT	125 x 96 x 75	0,598	27	CT	40 x 30 x 24,5	16,7	CN	85369010
2110200690	AKN-2-240-GY	8718959079412	1	CT	125 x 96 x 75	0,598	27	CT	40 x 30 x 24,5	16,7	CN	85369010
2110200700	AKN-2-240-BU	8718959079429	1	CT	125 x 96 x 75	0,598	27	CT	40 x 30 x 24,5	16,7	CN	85369010
2110200710	AKN-2-240-GNYE	8718959079436	1	CT	125 x 96 x 75	0,598	27	CT	40 x 30 x 24,5	16,7	CN	85369010

## AKN Add-on universal terminal block AL/CU DATA SHEET V1.0

CON-series

2110200720	AKN-2-240-RD	8718959079443	1	CT	125 x 96 x 75	0,598	27	CT	40 x 30 x 24,5	16,7	CN	85369010
2110200730	AKN-3-16-BN	8718959079450	8	CT	285 x 75 x 45	0,546	184	CT	40 x 30 x 24,5	13,1	CN	85369010
2110200740	AKN-3-16-BK	8718959079467	8	CT	285 x 75 x 45	0,546	184	CT	40 x 30 x 24,5	13,1	CN	85369010
2110200750	AKN-3-16-GY	8718959079474	8	CT	285 x 75 x 45	0,546	184	CT	40 x 30 x 24,5	13,1	CN	85369010
2110200760	AKN-3-16-BU	8718959079481	8	CT	285 x 75 x 45	0,546	184	CT	40 x 30 x 24,5	13,1	CN	85369010
2110200770	AKN-3-16-GNYE	8718959079498	8	CT	285 x 75 x 45	0,546	184	CT	40 x 30 x 24,5	13,1	CN	85369010
2110200780	AKN-3-16-RD	8718959079504	8	CT	285 x 75 x 45	0,546	184	CT	40 x 30 x 24,5	13,1	CN	85369010
2110200790	AKN-3-35-BN	8718959079511	7	CT	285 x 75 x 45	0,535	161	CT	40 x 30 x 24,5	12,9	CN	85369010
2110200800	AKN-3-35-BK	8718959079528	7	CT	285 x 75 x 45	0,535	161	CT	40 x 30 x 24,5	12,9	CN	85369010
2110200810	AKN-3-35-GY	8718959079535	7	CT	285 x 75 x 45	0,535	161	CT	40 x 30 x 24,5	12,9	CN	85369010
2110200820	AKN-3-35-BU	8718959079542	7	CT	285 x 75 x 45	0,535	161	CT	40 x 30 x 24,5	12,9	CN	85369010
2110200830	AKN-3-35-GNYE	8718959079559	7	CT	285 x 75 x 45	0,535	161	CT	40 x 30 x 24,5	12,9	CN	85369010
2110200840	AKN-3-35-RD	8718959079566	7	CT	285 x 75 x 45	0,535	161	CT	40 x 30 x 24,5	12,9	CN	85369010
2110200850	AKN-3-50-BN	8718959079573	6	CT	285 x 75 x 45	0,599	120	CT	40 x 30 x 24,5	12,5	CN	85369010
2110200860	AKN-3-50-BK	8718959079580	6	CT	285 x 75 x 45	0,599	120	CT	40 x 30 x 24,5	12,5	CN	85369010
2110200870	AKN-3-50-GY	8718959079597	6	CT	285 x 75 x 45	0,599	120	CT	40 x 30 x 24,5	12,5	CN	85369010
2110200880	AKN-3-50-BU	8718959079603	6	CT	285 x 75 x 45	0,599	120	CT	40 x 30 x 24,5	12,5	CN	85369010
2110200890	AKN-3-50-GNYE	8718959079610	6	CT	285 x 75 x 45	0,599	120	CT	40 x 30 x 24,5	12,5	CN	85369010
2110200900	AKN-3-50-RD	8718959079627	6	CT	285 x 75 x 45	0,599	120	CT	40 x 30 x 24,5	12,5	CN	85369010
2110200910	AKN-3-95-BN	8718959079634	2	CT	140 x 95 x 60	0,540	56	CT	40 x 30 x 24,5	15,7	CN	85369010
2110200920	AKN-3-95-BK	8718959079641	2	CT	140 x 95 x 60	0,540	56	CT	40 x 30 x 24,5	15,7	CN	85369010
2110200930	AKN-3-95-GY	8718959079658	2	CT	140 x 95 x 60	0,540	56	CT	40 x 30 x 24,5	15,7	CN	85369010
2110200940	AKN-3-95-BU	8718959079665	2	CT	140 x 95 x 60	0,540	56	CT	40 x 30 x 24,5	15,7	CN	85369010
2110200950	AKN-3-95-GNYE	8718959079672	2	CT	140 x 95 x 60	0,540	56	CT	40 x 30 x 24,5	15,7	CN	85369010
2110200960	AKN-3-95-RD	8718959079689	2	CT	140 x 95 x 60	0,540	56	CT	40 x 30 x 24,5	15,7	CN	85369010
2110200970	AKN-3-150-BN	8718959079696	2	CT	170 x 100 x 70	0,915	34	CT	40 x 30 x 24,5	16,1	CN	85369010
2110200980	AKN-3-150-BK	8718959079702	2	CT	170 x 100 x 70	0,915	34	CT	40 x 30 x 24,5	16,1	CN	85369010
2110200990	AKN-3-150-GY	8718959079719	2	CT	170 x 100 x 70	0,915	34	CT	40 x 30 x 24,5	16,1	CN	85369010
2110201000	AKN-3-150-BU	8718959079726	2	CT	170 x 100 x 70	0,915	34	CT	40 x 30 x 24,5	16,1	CN	85369010
2110201010	AKN-3-150-GNYE	8718959079733	2	CT	170 x 100 x 70	0,915	34	CT	40 x 30 x 24,5	16,1	CN	85369010
2110201020	AKN-3-150-RD	8718959079740	2	CT	170 x 100 x 70	0,915	34	CT	40 x 30 x 24,5	16,1	CN	85369010
2110201030	AKN-3-240-BN	8718959079757	1	CT	125 x 96 x 75	0,829	27	CT	40 x 30 x 24,5	23,0	CN	85369010
2110201040	AKN-3-240-BK	8718959079764	1	CT	125 x 96 x 75	0,829	27	CT	40 x 30 x 24,5	23,0	CN	85369010
2110201050	AKN-3-240-GY	8718959079771	1	CT	125 x 96 x 75	0,829	27	CT	40 x 30 x 24,5	23,0	CN	85369010
2110201060	AKN-3-240-BU	8718959079788	1	CT	125 x 96 x 75	0,829	27	CT	40 x 30 x 24,5	23,0	CN	85369010
2110201070	AKN-3-240-GNYE	8718959079795	1	CT	125 x 96 x 75	0,829	27	CT	40 x 30 x 24,5	23,0	CN	85369010
2110201080	AKN-3-240-RD	8718959079801	1	CT	125 x 96 x 75	0,829	27	CT	40 x 30 x 24,5	23,0	CN	85369010
2019806000	ZB6-Blanc	87189590000553	100	BG	/	0,082	13500	CT	42 x 24,5 x 34	12,29	CN	85369010
2019806001	ZB6-L1	87189590000560	100	BG	/	0,082	13500	CT	42 x 24,5 x 34	12,29	CN	85369010
2019806002	ZB6-L2	87189590000577	100	BG	/	0,082	13500	CT	42 x 24,5 x 34	12,29	CN	85369010
2019806003	ZB6-L3	87189590000584	100	BG	/	0,082	13500	CT	42 x 24,5 x 34	12,29	CN	85369010
2019806004	ZB6-N	87189590000591	100	BG	/	0,082	13500	CT	42 x 24,5 x 34	12,29	CN	85369010
2019806005	ZB6-PE	87189590000607	100	BG	/	0,082	13500	CT	42 x 24,5 x 34	12,29	CN	85369010
2019806006	ZB6-RD	87189590000614	100	BG	/	0,082	13500	CT	42 x 24,5 x 34	12,29	CN	85369010
2019806007	ZB6-BL	87189590000621	100	BG	/	0,082	13500	CT	42 x 24,5 x 34	12,29	CN	85369010
2019806010	ZB6-1-10	87189590000638	100	BG	/	0,082	13500	CT	42 x 24,5 x 34	12,29	CN	85369010
2019806020	ZB6-11-20	87189590000645	100	BG	/	0,082	13500	CT	42 x 24,5 x 34	12,29	CN	85369010
2019806030	ZB6-21-30	87189590000652	100	BG	/	0,082	13500	CT	42 x 24,5 x 34	12,29	CN	85369010
2019806040	ZB6-31-40	87189590000669	100	BG	/	0,082	13500	CT	42 x 24,5 x 34	12,29	CN	85369010
2019806050	ZB6-41-50	87189590000676	100	BG	/	0,082	13500	CT	42 x 24,5 x 34	12,29	CN	85369010
2019806060	ZB6-51-60	87189590000683	100	BG	/	0,082	13500	CT	42 x 24,5 x 34	12,29	CN	85369010
2019806070	ZB6-61-70	87189590000690	100	BG	/	0,082	13500	CT	42 x 24,5 x 34	12,29	CN	85369010
2019806080	ZB6-71-80	87189590000706	100	BG	/	0,082	13500	CT	42 x 24,5 x 34	12,29	CN	85369010
2019806090	ZB6-81-90	87189590000713	100	BG	/	0,082	13500	CT	42 x 24,5 x 34	12,29	CN	85369010
2019806100	ZB6-91-100	87189590000720	100	BG	/	0,082	13500	CT	42 x 24,5 x 34	12,29	CN	85369010
2110109200	CK-L	8718959014062	100	BG	/	0,082	13500	CT	42 x 24,5 x 34	12,29	CN	85369010
2110109206	CK-PEN	8718959014123	100	BG	/	0,082	13500	CT	42 x 24,5 x 34	12,29	CN	85369010
2110109210	CK-R	8718959014130	100	BG	/	0,082	13500	CT	42 x 24,5 x 34	12,29	CN	85369010
2110109211	CK-S	8718959014147	100	BG	/	0,082	13500	CT	42 x 24,5 x 34	12,29	CN	85369010
2110109212	CK-T	8718959014154	100	BG	/	0,082	13500	CT	42 x 24,5 x 34	12,29	CN	85369010
2110109213	CK-U	8718959014161	100	BG	/	0,082	13500	CT	42 x 24,5 x 34	12,29	CN	85369010
2110109214	CK-V	8718959014178	100	BG	/	0,082	13500	CT	42 x 24,5 x 34	12,29	CN	85369010
2110109215	CK-W	8718959014185	100	BG	/	0,082	13500	CT	42 x 24,5 x 34	12,29	CN	85369010
2110109300	CK-PLUS	8718959014192	100	BG	/	0,082	13500	CT	42 x 24,5 x 34	12,29	CN	85369010
2110109304	CK-MIN	8718959014208	100	BG	/	0,082	13500	CT	42 x 24,5 x 34	12,29	CN	85369010
2110109305	CK-EARTH	8718959014215	100	BG	/	0,082	13500	CT	42 x 24,5 x 34	12,29	CN	85369010
2110109306	CK-CEARTH	8718959014222	100	BG	/	0,082	13500	CT	42 x 24,5 x 34	12,29	CN	85369010
2110109101	CK-N1	8718959013966	100	BG	/	0,082	13500	CT	42 x 24,5 x 34	12,29	CN	85369010
2110109102	CK-N2	8718959013973	100	BG	/	0,082	13500	CT	42 x 24,5 x 34	12,29	CN	85369010
2110109103	CK-N3	8718959013980	100	BG	/	0,082	13500	CT	42 x 24,5 x 34	12,29	CN	85369010
2110109104	CK-N4	8718959013997	100	BG	/	0,082	13500	CT	42 x 24,5 x 34	12,29	CN	85369010
2110109105	CK-N5	8718959014000	100	BG	/	0,082	13500	CT	42 x 24,5 x 34	12,29	CN	85369010
2110109106	CK-N6	8718959014017	100	BG	/	0,082	13500	CT	42 x 24,5 x 34	12,29	CN	85369010
2110109107	CK-N7	8718959014024	100	BG	/	0,082	13500	CT	42 x 24,5 x 34	12,29	CN	85369010
2110109108	CK-N8	8718959014031	100	BG	/	0,082	13500	CT	42 x 24,5 x 34	12,29	CN	85369010
2110109109	CK-N9	8718959014048	100	BG	/	0,082	13500	CT	42 x 24,5 x 34	12,29	CN	85369010
2110109110	CK-N10	8718959014055	100	BG	/	0,082	13500	CT	42 x 24,5 x 34	12,29	CN	85369010

**SEP Europe**®

A brand of Schotman Elektro B.V.

[www.sep-europe.com](http://www.sep-europe.com)

[www.schotmanelektro.eu](http://www.schotmanelektro.eu)

We reserve the right to make technical changes or modify the contents of this document without prior notice. With regard to purchase orders, the agreed particulars shall prevail. Schotman Elektro B.V. does not accept any responsibility whatsoever for potential errors or possible lack of information in this document

Copyright© 2024 Schotman Elektro B.V., All rights reserved